



Nissan Titan (base model only) 2004-2015

Visit MetraOnline.com for more detailed information about the product and up-to-date vehicle specific applications

KIT FEATURES

- DIN radio provision with pocket
- ISO DIN radio provision with pocket

KIT COMPONENTS

- A) Radio housing • B) ISO brackets • C) ISO trim plate




TABLE OF CONTENTS

Dash Disassembly	2
Kit Assembly	
-DIN mount radio provision with pocket.....	2
-ISO DIN mount radio provision with pocket	3

WIRING & ANTENNA CONNECTIONS (sold separately)

Wiring Harness: 70-7550 - Nissan 1995-up

- 70-7551 - Nissan 1995-up
- 70-7552 - Nissan 2007-up

Antenna Adapter: Not required

TOOLS REQUIRED


- Panel removal tool • Socket wrench

Attention! With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections are secure before cycling the ignition to test this product.


DASH DISASSEMBLY

1. Unclip and remove entire panel surrounding radio and climate controls. (Figure A)
2. Remove (4) Phillips screws to remove radio. (Figure B)

Continue to Kit Assembly



(Figure A)




(Figure B)


KIT ASSEMBLY

DIN radio provision with pocket

1. Locate the factory wiring harness in the dash. Metra recommends using the proper mating adapter from Metra or AXXESS. Re-connect the negative battery terminal and test the radio for proper operation.
2. Slide the DIN cage into the **radio housing** and secure by bending the metal locking tabs down. (Figure A)
3. Slide the after-market radio into the cage and secure. (Figure B)
4. Reassemble dash in reverse order of disassembly.



(Figure A)




(Figure B)


KIT ASSEMBLY

ISO DIN radio provision with pocket

1. Locate the factory wiring harness in the dash. Metra recommends using the proper mating adapter from Metra or AXCESS. Re-connect the negative battery terminal and test the radio for proper operation.
2. Mount the **ISO brackets** to the radio with the screws supplied with the radio. (Figure A)
3. Slide the radio into the radio opening until the side clips engage and then snap the **trim plate** into the **radio housing**. (Figure B)
4. Reassemble dash in reverse order of disassembly.



(Figure A)



(Figure B)



99-7405
INSTALLATION INSTRUCTIONS



Having difficulties? We're here to help.



Contact our Tech Support line at:

386-257-1187



Or via email at:

techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by enrolling in the most recognized and respected mobile electronics school in our industry. Log onto www.installerinstitute.edu or call 386-672-5771 for more information and take steps toward a better tomorrow.




**Metra recommends MECP
certified technicians**




COMPONENTES DEL KIT

- A) Carcasa de radio • B) Soportes ISO • C) ISO Placa de moldura


A



B



C



Nissan Titan (solo modelo base) 2004-2015

Visite MetraOnline.com para más información acerca del producto y las aplicaciones específicas más actualizadas del vehículo

CARACTERÍSTICAS DEL KIT

- Provisión de radio DIN con cavidad
- Provisión de radio ISO DIN con cavidad

INDICE

Desmontaje del tablero	2
Ensamble del kit	
- Provisión de radio DIN con cavidad	2
- Provisión de radio ISO DIN con cavidad	3

CABLEADO Y CONEXIONES DE ANTENA

(se venden por separado)

Arnés de cableado: 70-7550 - Nissan 1995 y mas

• 70-7551 - Nissan 1995 y mas

• 70-7552 - Nissan 2007 y mas

Adaptador de antena: No se requiere

HERRAMIENTAS NECESARIAS


- Herramienta para remoción de paneles
- Llave de tubo

¡Atención! Con la llave fuera del encendido, desconecte el terminal negativo de la batería antes de instalar este producto. Asegúrese de que todas las conexiones de la instalación estén seguras antes de encender y apagar el encendido para probar este producto.


DESMONTAJE DEL TABLERO

1. Desenganche y quite todo el panel que rodea el radio y los controles del clima. (Figura A)
2. Quite los (4) tornillos Phillips para quitar el radio. (Figura B)

Continúe con el ensamble del kit



(Figura A)




(Figura B)


ENSAMBLE DEL KIT

Provisión de radio DIN con cavidad

1. Ubique el arnés de cableado de fábrica en el tablero. Metra recomienda el uso de un adaptador adecuado de acoplamiento de Metra o de AXXESS. Vuelva a conectar la terminal negativa de la batería y pruebe el radio para verificar que funcione correctamente.
2. Deslice la jaula DIN en la **carcasa del radio** y asegúrela doblando las lengüetas de bloqueo de metal hacia abajo. (Figura A)
3. Deslice la radio de mercado secundario en la jaula y asegúrela. (Figura B)
4. Vuelva a armar el tablero al revés de como lo desarmó.



(Figura A)




(Figura B)


ENSAMBLE DEL KIT

Provisión de radio ISO DIN con cavidad

1. Ubique el arnés de cableado de fábrica en el tablero. Metra recomienda el uso de un adaptador adecuado de acoplamiento de Metra o de AXCESS. Vuelva a conectar la terminal negativa de la batería y pruebe el radio para verificar que funcione correctamente.
2. Monte los **soportes ISO** en la radio con los tornillos suministrados con la radio. (Figura A)
3. Deslice la radio en la abertura de la radio hasta que los clips laterales encajen y luego encaje la **placa de moldura** en la **carcasa de la radio**. (Figura B)
4. Coloque a presión la **placa de la moldura doble DIN** en la carcasa/conjunto del radio. (Figura B)
5. Vuelva a armar el tablero al revés de como lo desarmó.



(Figura A)



(Figura B)



99-7405
INSTRUCCIONES DE INSTALACIÓN



¿Tienes dificultades? Estamos aquí para ayudar.



Póngase en contacto con nuestra
línea de soporte técnico en:
386-257-1187



O por correo electrónico a:
techsupport@metra-autosound.com

Horas de soporte técnico (hora estándar del este)

Monday - Friday: 9:00 AM - 7:00 PM

Saturday: 10:00 AM - 7:00 PM

Sunday: 10:00 AM - 4:00 PM



KNOWLEDGE IS POWER

Enhance your installation and fabrication skills by
enrolling in the most recognized and respected
mobile electronics school in our industry.
Log onto www.installerinstitute.edu or call
386-672-5771 for more information and take steps
toward a better tomorrow.



**Metra recomienda MECP
técnicos certificados**