

AXBUCH-TYCAM16V

NSTALLATION INSTRUCTIONS



Back Up Camera Retention HarnessFits Toyota **Select Models 2012–2015**

INTERFACE FEATURES

- Retains the factory backup camera to an aftermarket radio
- Includes the AXCSD-6V 12-volt to 6-volt converter.

For **Dash Disassembly Instructions,** refer to **metraonline.com.** Enter the year, make, and model of the vehicle in the **Vehicle Fit Guide for Radio Install kits.**



INTERFACE COMPONENTS

AXBUCH-TYCAM1V harness

AXCSD-6V 12-volt to 6-volt converter

APPLICATIONS

Scion	Toyota	Prius PHV2012-2015
FRS2013-2015	4-Runner (w/o factory amp)2012-2013	Prius V2012-2014
iQ2014-2015	Avalon2013-2014	Rav-4 (built before Nov. 2013)2014
tC2014-2015	Camry2012-2013	Rav-42013
xB2014-2015	Highlander2013	Sequoia2013
xD2014	Prius2012-2015	Venza2013-2014

TABLE OF CONTENTS

Connections: LD-TYCAM1

TOOLS REQUIRED


- Crimping tool and connectors, or solder gun, solder, and heat shrink
- Cutting tool
- Tape
- Crimping tool

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications.

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the bat judicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product.

NOTE: Refer also to the instructions included with the aftermarket radio.

CONNECTIONS: LD-TYCAM1



N
N
N



AXBUCH-TYCAM16V

NSTALLATION INSTRUCTIONS

Having difficulties? We're here to help.



Contact our Tech Support line at: **386-257-1187**



Or via email at: techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM Saturday: 10:00 AM - 5:00 PM Sunday: 10:00 AM - 4:00 PM



Metra recommends MECP certified technicians