




# AXADBXH-CH2 INTERFACE



The AXADBXH-CH2 harness is designed for, and must be used with, the AXADBX-1 or AXADBX-2 interface (sold separately). Please refer to the AXADBX-1 or AXADBX-2 for the 16-pin connector with stripped leads.

### INTERFACE COMPONENTS

- AXADBXH-CH2 harness
- 4-pin harness with stripped leads

## Chrysler Data Interface 2007-Up\*

\*Visit [AxxessInterfaces.com](http://AxxessInterfaces.com) for up-to-date vehicle specific applications.

### INTERFACE FEATURES

- Provides accessory power (12-volt 10-amp)
- Maintains the retained accessory power (R.A.P.) feature
- Provides NAV outputs (parking brake, reverse, speed sense)
- Retains safety chimes
- Pre-wired AXSWC harness (AXSWC sold separately)
- Can be used in both amplified and non-amplified models
- Retains balance and fade†
- Retains Blind Spot Detection (if equipped)
- Micro-B USB updatable

† To retain fade in amplified models, use the AXADBX-1

### APPLICATIONS

#### CHRYSLER

200 2011-2014  
 300 2008-2010  
 Aspen 2008-2009  
 Sebring 2007-2010  
 Town & Country  
 2008-2017

#### DODGE

Avenger 2008-2014  
 Caliber 2009-2010  
 Caravan/Grand Caravan  
 2008-Up  
 Challenger 2009-2014  
 Charger 2008-2010  
 Dakota 2008-2011  
 Durango 2008-2013  
 Journey 2009-2010  
 Magnum 2008-2009  
 Nitro 2007-2011  
 Ram 1500 2009-2011  
 Ram 2500/3500  
 2010-2011

#### JEEP

Commander 2008-2010  
 Compass 2009-2017.5  
 Grand Cherokee  
 2008-2013  
 Liberty 2008-2012  
 Patriot 2009-2017  
 Wrangler 2007-2017

Wrangler (JK body type) 2018

#### MITSUBISHI

Raider 2008-2009

#### RAM

1500/2500/3500 2012  
 C/V Tradesman  
 2012-2015

#### VOLKSWAGEN

Routan 2009-2013

SALES 800-221-0932

REV. 1/30/20

What Fits My Vehicle? See the Vehicle Fit Guide at [AxxessInterfaces.com](http://AxxessInterfaces.com)

© COPYRIGHT 2020 METRA ELECTRONICS CORPORATION