

AXDSPX-GM32 INTERFACE



DSP Interface With Pre-Wired Harness GM Select Models 2021-Up

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications.

INTERFACE COMPONENTS

- AXDSPX-GM32 interface
- •AXDSPX-GM32 output harness (LD-AX-DSP-OUT2)
- AXDSPX-GM32 vehicle T-harness (LD-DSP-GM32)
- Resistor Pad (LD-DSP-RPAD2)
- Bass knob (LD-BASSKNOB)

INTERFACE FEATURES

- Designed for non-amplified models
- Includes a DSP (Digital Signal Processor)
- 31 Band graphic EQ or 5 Band Parametric EQ
- 10 individually assignable outputs
- Independent equalization on each of the 10 outputs
- Independent high pass, low pass, and bandpass filters
- Each channel can be delayed independently up to 10ms
- Clipping detection and limiting circuits
- Retains factory parking sensor chimes
- Retains OnStar® voice prompts
- Adjustable chime level
- Easy behind the radio installation with prewired harness
- Bass knob included for level control of subwoofer amp
- Settings adjusted via Bluetooth[®] in a smart device application (tablet or mobile phone), compatible with both Android and Apple devices
- Read, write, and store configurations for future recall
- Password protect feature available in the mobile app
- Micro-B USB updatable

- APPLICATIONS -

Visit **axxessinterfaces.com** for current application list

SALES 386-257-2956

REV. 2/12/24

What Fits My Vehicle? See the Vehicle Fit Guide at **AxxessInterfaces.com**

© COPYRIGHT 2024 METRA ELECTRONICS CORPORATION